

COMPLAINT

SECONDARY COMPLAINTS

High or low line pressure

- Delayed engagements • Engine stall at idle • Converter complaints • No line rise (stationary line pressure)

CAUSE

Constant oscillation of the main regulator valve and/or the boost regulator valve in their bores creates wear, which can result in oil pressure loss or cross leaks and valve malfunction.

CORRECTION

Sonnax now offers an oversized valve kit for both the main regulator valve and boost regulator valve to restore proper clearance to the bore and prevent oil loss.

Oversized Boost Regulator & Main Regulator Valve Kits

Boost Regulator Valve Kit
119940-07K
1 Valve
1 Ratcheting End Plug




Tool Kit for 119940-07K
F-119940-TL7
1 Reamer
1 Reamer Jig
1 Guide Pin
1 Adjustment Tool



Main Pressure Regulator Valve Kit
119940-08K
1 Valve
1 Spring
1 End Plug
1 Retainer
1 O-Ring



Tool Kit for 119940-08K
F-119940-TL8
1 Reamer
1 Reamer Jig
1 Guide Pin



Sonnax Part Summary:

If regulated line leaks to exhaust at the main regulator, it creates a low pressure condition. Wear at the inner balance spools prevents the valves from stroking, which can cause high line pressure. Wear at the inboard bore also affects the K1 clutch circuit, which can result in 1-2 or 2-3 shift complaints. Wear at the inboard end of the boost regulator bore can reduce the ability of EPC/TV pressure to stroke this valve open. Full boost exiting this valve combines forces with the main regulator spring, increasing line pressure. Sonnax now offers an oversized valve kit for both the main regulator valve, **119940-08K**, and the boost regulator valve, **119940-07K**. These kits allow the valve bores to be refurbished and restore proper pressure control.

Features & Benefits:

- Oversized hard-coat anodized valves are manufactured to extremely tight tolerances and resist wear.
- The main regulator valve kit contains an o-ringed end plug to positively seal the bore and prevent regulated boost line pressure from exhausting.
- A new spring is included to work with the oversized valve and re-establish OEM regulated pressure specifications.
- A replacement ratcheting end plug is included in the boost regulator kit, as the OEM one often breaks.
- An adjustment tool is provided in the boost regulator tool kit for repeated assembly, disassembly and adjustment of the ratcheting end plug.

Save \$400 in valve body replacement costs

